

Child Care Facility Inspection Report

LITTLE PEOPLE'S CREATIVE LEARNING License #: 7257 Director: DAFFANY SMITH Inspection Date: 07/12/2022 Annual/Mid Inspection Inspector: Sharetha Bennett

Program Administration Violations Cited

- 1. **Out of Compliance:** All required facility records are present and up-to-date: (1) child and employee attendance records, (2) alphabetical roster of children, (3) alphabetical roster of staff and volunteers, (4) current license, (5) records of monthly fire /disaster drills, (6) medication log, (7) volunteer log, (8) notebook of 121 forms for staff members and children w/roster, (9) notebook with Letters of Suitability for all employees w/roster. (Rule 1.6.3 Page 29)
- 2. **Out of Compliance:** Heating units, including water pipes and baseboard heaters hotter than 110°F are inaccessible to children by barriers or guards. (Rule 1.11.8(16) Page 58)

Plan of Correction

- 1. **POC:** Director will submit updated immunization form within 14 days. **Person Responsible:** Daffany Smith **Date for Completion:** 7.29.22
- 2. **POC:** While touring the facility it was observed that classroom 2 not properly cooling. Infants were sent home due to classroom over heated. Director is in the process of making repairs to have the room cooling at proper temperature.

Person Responsible: Daffany Smith **Date for Completion:**

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

1. **COS:** No hot dogs, corndogs, bologna, bacon, sausage, pancake sticks, small chicken nuggets, fish sticks, and steak fingers observed at the facility are served at any time.

Playground Violations Cited

- 1. Out of Compliance: Playground fence is less than 3 ¹/₂ inches from ground surface, in good repair with no gaps and secure gate latch. (Rule 1.11.9(8) Page 60)
- 2. Out of Compliance: Playground area is clean and free of hazards. (Rule 1.11.11 Page 61)

Plan of Correction

1. **POC:** While touring the facility it was observed on the play area, fence exceeded a gap larger than 3 1/2 inches. Director will contact her maintenance person again to ensured to have fence repaired and overgrowth grass cut.

Person Responsible: Daffany Smith Date for Completion: 7.28.22

Infant Classroom Violations Cited

Room 2 - Classroom Number: 2

- 1. Out of Compliance: Proper room capacity maintained. (Rule 1.11.2 Page 53)
- 2. **COS:** Room is well lighted, ventilated, and free of hazardous or potentially hazardous conditions. (Rule 1.11.1(9) Page 51)
- 3. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)
- 4. **Out of Compliance:** Daily reports are made available for infants and include: liquid intake, child's disposition, bowel movements, and eating and sleeping patterns. (Rule 1.7.4 Page 35)
- 5. **Out of Compliance:** For disposable diapers: (1) placed in sealed, plastic bag and placed in a plastic lined and covered garbage receptacle or (2) rolled up, taped and placed in a plastic lined and covered garbage receptacle. (Rule 1.16.3 Page 77)

Infant Classroom - Classroom Number: 2

- POC: Based on observation while touring the facility, the facility failed to maintain the required room capacity for classroom two. This classroom was measured for 3 children. There were 4 children present in the room. Director will ensure that room capacity is maintained at all times. This was corrected on site.
 Person Responsible: Daffany Smith Date for Completion: 7.12.22
- 2. POC: Director will ensure that each room have wall thermometer place at child level. Person Responsible: Daffany Smith Date for Completion: 7.13.22
- 3. **POC:** DIRECTOR will ensure that a covered garbage can is placed in the room for soiled diapers. **Person Responsible:** Daffany Smith **Date for Completion:** 7.13.22
- 4. POC: Director will ensure that all staff are completing daily reports.Person Responsible: Daffany Smith Date for Completion: 7.13.22

Toddler Classroom Violations Cited

Room 1 - Classroom Number: 1

- 1. **Out of Compliance:** Infants and toddlers classroom is provided in a separate space from older children. (Rule 1.11.1)
- 2. **Out of Compliance:** Ceiling, Floor, and/or floor covering is properly installed, kept clean, in good condition, and in good repair. (Rule 1.11.1(8) Page 51)
- 3. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 1

1. **POC:** While touring the facility, it was observed a school age child mix with preschool. Director will ensure that no school age child is at the facility. This was corrected by child being picked up by parents.

Person Responsible: Daffany Smith Date for Completion: 7.12.22

2. **POC:** Observed facility not properly cleaned. Director will ensure that facility is keep cleaned and no items in reached of children.

Person Responsible: Daffany Smith **Date for Completion:** 7.14.22

3. **POC:** Observed no wall thermometer place on child level. Director will ensure that a thermometer is place in each classroom.

Person Responsible: Daffany Smith **Date for Completion:** 7.13.22

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

MSDH Licensure Representative Signature

