



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County <u>Lee</u>	Date <u>1-27-2020</u>
Facility Name <u>Precious Hands</u>	License Number <u>4072</u>
Purpose <u>Mid Year</u>	Capacity <u>87</u>

**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present <u>director</u>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

1. <u>Rule 1.8.1(2)</u>	Monetary Penalty \$ <u>                    </u>
2. <u>                                    </u>	\$ <u>                    </u>
3. <u>                                    </u>	\$ <u>                    </u>
4. <u>                                    </u>	\$ <u>                    </u>
5. <u>                                    </u>	\$ <u>                    </u>

	11:55 Am	Age/Child/Staff Name
Rm#1	4-10-Caregiver#1	
Rm#2	2-10-Caregiver#2	
Rm#3	Infant-5-Caregiver#3	
Rm#4	11-1-no caregiver	
Rm#5	12:30pm 4-10-Caregiver#1	
Rm#6	2-10-Caregiver#4	
Rm#7	Infant-5-Caregiver#3	
Rm#8	11-1-Caregiver#2	

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>3</u> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Dawn V. HestChild Care Representative Kimberly Clark



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District IIDate 1-27-2020

Name Precious Hands License No. 4072  
 Address 4946 Raymond Ave., Verona 38879  
Center/Organization/Individual  
 Purpose Mid-Year Director Dorothy Heard  
 Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
 County Lee Telephone No. 662-566-4200  
 Time In 11:55 Time Out 2:07 Total Time \_\_\_\_\_

Findings/Comments Here for a mid year inspection.  
The licensing official met with the director upon arrival. Questionnaire provided to the director.

Playground in compliance.

Employees' Letters of Suitability in compliance

Subchapter 8: Staffing

Deficiency: Rule 1.8.1(2) states in part, "Children shall not be left unattended at any time."

Finding: Based on observation while touring the facility, the facility failed to maintain staff-to-child ratio by leaving a child unattended. There was one (1) child alone in Classroom #5 with no caregiver present.

Plan of Correction

The child and caregiver #2 went into classroom #8 together. Caregiver #2 has a valid letter of suitability. Corrected on site.

Technical Assistance - when school age children are out of school and at the facility during the day, the school age children must be in a separate classroom from preschool children with a caregiver that has a valid letter of suitability. School age children can never be left unattended at the facility or any other child no matter the age. The owner/director

Dorothy Heard  
 Center Director/Designee/Individual

Kimberly Clark  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 1-27-2020

Facility Name Precious Hands

License No. 4072

will ensure the plan of corrections and technical assistance is followed starting today, Monday, January 27, 2020. DvH.

## Subchapter 11: Buildings and Grounds

Deficiency: Rule 111.4(c) states in part, "All Kitchens shall comply with the MSDH 10.0 Regulations Food Code."

Findings: Based on observation while touring the facility, raw eggs were not stored properly and the last Kitchen inspection grade was not posted.

## Plan of Corrections

All raw products will be stored in the bottom drawers of the refrigerator at all times. The raw eggs will be moved to the bottom drawers of the refrigerator away from ready-to-eat food by the owner/director.

Corrected on site. DvH.

All the "A" letter grades for the kitchen will be removed throughout the facility. There are several posted in the facility. The owner/director will post the correct letter grade in the kitchen and in room #1 for the public to view after each kitchen inspection starting today Monday, January 27, 2020.

This can also be corrected on site today, DvH.

## Subchapter 6: Records

Deficiency: Rule 1.6.3(8) states in part, "MSDH Form #121 on both staff and children at the facility."

Findings: Based on observation while touring the facility and reviewing records, four (4) children need an updated MSDH Form #121 and one (1) caregivers MSDH Form #121 could not be located by the licensing official.

Dorothy V. Hunt, Kimberly Clark  
Center Director/Designee/Individual Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Encounter  
(Continuation)**Date 1-27-2020Facility Name Precious HandsLicense No. 4072

The owner/director will request updated MSDH form #121 and submit to the licensing official by Monday, February 10, 2020. DLH

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of license.

Dorothy V. Keener  
Center Director/Designee/Individual

Kimberly Clark  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID 4072	Facility Name, Address Precious Hands Daycare 4946 Raymond Ave. Verona 38579	Date 1-27-2020
-----------------	--	-------------------

## CRITICAL VIOLATIONS

- Food not separated and protected.

- Last inspection not posted.

Kitchen received a "B"

## CORRECTION PLAN AND SCHEDULE

- Raw eggs were moved to the bottom drawers in the refrigerator

- Food inspection from today will be posted immediately. Kitchen received a "B" on today inspection. All "A" food grades will be removed throughout the whole facility by the owner/director.

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code KP2
Please Remit within 10 days to:	

D. Heard  
Certified Manager

4072  
Licence Number

Facility Signature <u>Dorothy V Heard</u>
Environmental Signature <u>Kimberly Burk</u>

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalist

# Child Care Licensure Playground Checklist

Center Name Precious Heunds

Inspection Date 1-27-2020

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)

---

- ☐ ☐ ☒ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☐ ☐ ☒ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)

---

- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency  
(CPSC 3.2, pg13)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  
(CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate  
(Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.  
(Rule 1.11.11 (1), pg 49)

---

- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Dorothy V. Clark

Licensing Official Kimberly Clark, CCFI 1