



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date 7-27-22

Name	<u>Tiny Step Academy</u>	License No.	<u>6616</u>
Address	<u>520 E Pass Rd Gulfport, MS 39506</u>		
	Center/Organization/Individual		
Purpose	<u>Follow-up</u>	Director	<u>Stacy Jackson</u>
Mileage Start	<u>N/A</u>	Mileage End	<u>N/A</u>
County	<u>Harrison</u>	Telephone No.	<u>228-896-6466</u>
Time In		Time Out	
		Total Time	

Findings/Comments

In Compliance

- Facility has appropriate number of operational toilets and handwashing ~~facilities~~ laboratories. (Rule 1.11.5) Page 56) Sink has been repaired in the three year old room.
- Playground fence is good repair. (Rule 1.11.9(8) Page 60)
- Playground area is clean and free of hazards. (Rule 1.11.11 P61)
- Appropriate surfacing material is present and meets minimum required compressed loose-fill surfacing. (Appendix D 2.4 & 2.5 Page 8-10)

Follow-Up Inspection PASSED!

Stacy Jackson
Center Director/Designee/Individual

Leanne Gray
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator