

Child Care Facility Inspection

| a Martin La | | | | Date 10/09/2018 | | | |
|---|----------------------|---------|------|---|---------|-------|------|
| County Washington | | | | | | | |
| Facility Name Florida Street Day Care License Number 0793 | | | | | | | |
| Purpose Six Month Inst | pection/ | TA_ C | Capa | acity45 | | | |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present | In Out C | COS N/A | | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities | | t COS | N/A |
| Room and playground capacity met Center capacity met License/complaint visible Certified food manager | | | | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair | |] 🗆 | |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained | | | | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded | | | |
| Water system approved and functioning Waste water system approved | | | | Telephone on premises, available, and functioning | | | |
| and functioning Food service approved | | | | Electrical outlets protected Large appliances located properly Sinks and toilets working properly | | | |
| Possible Monetary Penalty 1 | Monetary \$ | Penalty | | Hot water at all sinks, not to exceed 120° Children barred from kitchen | | | |
| 2 | \$ \$ | | | Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices | | | |
| 4 | \$ | | | single action approved and in good working order | | | |
| 5 | \$ | | | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers | | | |
| Age/Child/Sta 1. 2yr, -3yr, olds /5/ | off Name Caregive | y#1 | | and thermometers placed properly and in good working order | | | |
| 2. | | | | First aid kits stocked and easily accessib | ole 🔽 | | |
| 3. 4. | | | | Playground area clean, shaded, well drained and equipped and fence in good repair | | |] 🗆 |
| 5. | | | _ | Playground equipment meets standards | | | |
| 6 | | 1 | | Pool area clean, fenced, and adequately maintained | | | |
| Center Director/Individual | 1. | Sele | W. | Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative | Je reso | Lig |] [] |

Center Director/Individual_

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health



Child Care Encounter

| District | TIL | e e e e e e e e e e e e e e e e e e e | | | | Date /0/09/2 | 20/8 |
|--|-------------------------------------|---------------------------------------|--|--|--------------|--|--|
| Name Flo | orida S | treet Day | Care + Lear | ning Licen | se No. 76CCP | FA-0793 | |
| Address 4 | 45 F | loridy Str | reet, Green Center/Org | ville MS | 38701 | | |
| | | | ction/TA | | | Van | |
| Mileage Sta | | | | Mileage End | | er a | |
| | Vashina | ton | والمستعدد والمستعدد والمتعدد والمتعد والمتعدد والمتعد والمتعد والمتعدد والمتعدد والم | Telephone No | 662-820 | 7316 | |
| | () | <u> </u> | Time Out 2:20 | spin. | Total Time | | |
| | | | sing officia | l met u | ith Fann | e Sullivan. | |
| The 1 | 240000 | Porth | is visit wa | 11 Lova s | ix month | inspection/TA | Visit. |
| / | 1 | 0 | | V | | | |
| There | were , | no defec | ierciel Observe | d on tod | ayer visit | - | A STATE OF THE STA |
| a cono | en chile | l care su | ney card u | av left u | sith For | ue Selliva. | |
| | | | · · | U | | and the later of the state of t | |
| The- | fellow | ing items | Iwere also | given to | mis. Fon | nie Sullian: | <i>v</i> |
| a co | | | bu child ca | d news | letter | and the second s | |
| ayel | lew /cut | nplaint | cara | and the second second | | And the state of t | |
| (TA) | Sechne | ial assi | stano wil | ele-proc | ide lift | le facility has | any |
| Lut | | | tonceros ples | | | | 0 |
| | 0 | | . / | | Teresaft. | gray, Child Co | 77 |
| | nome la constante de la | | and the second s | 0, | Pfiett C | 10662-332-817 | |
| Carlos Ca | | | and the second s | |) V fax # | 662-378-260 | 0 |
| m. | IT | 1.11 7/ | colotion me | y result | - in a mon | etan penalti | 7 |
| Page | tool 7 | a lation | may resul | It in the | doubling | of Samoretan | 1 |
| pena | ety, s | uspensie | | cation of | I the luens | el. 0 | |
| 10 | 0 - | 00 | 0.2.00 + | - 4 | Print Card | + child abus | 2) |
| the Down | tuensing | of Price | e mail to | Mis. Fanni | e Sullivar_ | per her regu | ort. |
| rage | 77 | - No. | | the state of the s | / | D | |
| | and the second second second second | 1 | A | | | | |
| Fles | in t | xillen | | eso Liggi. | | White Copy - Facility Yellow Copy - Operate | File or |
| Center Di | rector/Desi | gnee/Individual | Child Ca | re Representative | a a | | |

Center Director/Designee/Individual

Food Service Facility Inspection Results

| PIMS ID | Facility Name, Address Florida | Street Day caret Learning | Date | | |
|---|--------------------------------|------------------------------|---|--|--|
| 0793 | 445 S. Florida St. | Greenville, MS | 10/09/2018 | | |
| CRITICAL V | | CORRECTION PLAN AND SCHEDULE | | | |
| observed r | | | | | |
| ☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Cons ☐ 92080 No Inspection ☐ 92090 Restaurant Trainin Permit Date Please Remit within 10 day | Environmentalist Code | Engilish Signature | Serv Sofe. Licence Number Exp. 5/25/202 | | |

Child Care Licensure Playground Checklist

| YES NO N/A | Cen | ter N | ame | Flor | rida, Street Day Care Inspection Date 10/09/18 |
|---|--------|---------|----------|------|---|
| Playground fence less than 3 %" from surface. (Rule 1.11.9 (3), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) 10 | | | | | |
| Sidewalks provide smooth walking surface? (In otrip hazards) (CPSC 3.6, pg 16-17) All bolts on equipment & fence < threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (3), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 3.3, pg 36-37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.6, pg 36-37) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.6, pg 36-37) Is age-appropriate equipment being used? If not, state deficiency (Rule 1.11.2 (pg 46) CARS 3.2. pg 36 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) All bolts on equipment & fence < threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (3), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 16 5.3.8.1, pg 37) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.6.4-5 pgs 36-37) Is alequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Facility has being ft. should reast of beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is swood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | - | Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| No equipment present AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (3), pg 59) No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) All boits on equipment & fence <2 threads beyond the nut? Are all boits and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14: 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.2, pg 36-37) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate No equipment present (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency (Rule 1.11.11 (1), pg 61) Is adequate, shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Facility has berts for shadings Are condrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is swood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (3), pg 59) | | | | 3. | |
| (CPSC 2.4.2.2(3), pg 10 & Rule 1.11.11 (4), pg 61) | | | | 4. | |
| Google Se equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) | Q' | | | 5. | No standing water present on playground or in/on playground equipment or walkways? |
| All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) 10 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate No equipment prosent (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | 6. | |
| twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate No equipment prosent (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Facility has been for shadings. 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is swood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14: 2.5.2, pg 1 & 5.3.8.1, pg 37) 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | 4 | | | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC |
| CPSC 3.2, pg 14: 2.5.2, pg 1 & 5.3.8.1, pg 37 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | 9 | 10. | |
| 2.5.2, pg 1 & 5.3.8.1, pg 37) 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35) 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | Π. | | | 11. | |
| ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ | | | | 7 | 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency |
| Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Lacility has ferts for shadings. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | 由 | 13. | |
| Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Facility has feets for shadings. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | | | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate No equipment present (Rule 1.10.2, pg 46) |
| ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) ☐ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | H | | | 15. | Is playground area clean & free of hazards? If not, state deficiency. |
| Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | | 1 | | 16 | |
| ☐ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) | TI V | | | | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| 2.5.5, pg 15) | P | <u></u> | <u> </u> | L/, | |
| | | | | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |
| | Direct | tor | He | m | 1 11 |