

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County garleso	il il	Date July 22, 20	019		E)
Facility Name Jack 2	Gill Presch	License Number 1583			
Purpose Renewal	Ca	pacity_135			
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Y 0		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Food service approved		and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
Possible Monetary Penalty 1. Lule (. 5. 2 Cl)	Monetary Penalty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
3	\$\$ \$\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order			
5Age/Child/Stat	\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and			
1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	10 2-34				
3, 4,	8 4 yr	Playground area clean, shaded, well drained and equipped and fence in good repair			
5.		Playground equipment meets standards			
6.		Pool area clean, fenced, and adequately maintained			
Center Director/Individual	elher Vuenal	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	Inve	 //.	[Ou

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator

12-10-08

Form No. 281



Child Care Encounter

	a	Child Care Encounter	Ta
District		Da	ite July 22, 19
Name	Jack ?	gill Preschool DC License No. 1580	
Address_	5101	Ballgarh Rd. Vancleave 39565	
	Roneu	- 0	elle Tuyovie
Mileage S	tart	Mileage End	
County_(Jacks.	Telephone No. 228 - 826 . 5	7/3
	7:30		
Findings/	Comments		
Plays	round	-no violation observed	
Che	dien	Records- in compliance	
Staff	Reco	rdi	
		5: Personnel Reguermente	
Defic date fu p B. G	of englocesse	Rule 1.5.2(1) Within ten working day ployment, the chied care shall submit ye-A complete fingustioned and foos I bure Legisty Form.	2 from the
Jenes	in - D	wing record services it was compar	med that
one s	employ	DOH april 12, 2014, had show sho	ald off
geinge	sprin	my- Ste war not Mor alone with	
Pac.	- ms	Dowdy stated that the employee i	ereuld
ms	20md	de finger grente loday.	that
new.	emplo	year finger print are mailed off	within
10 1	working	cais.	
TA (ziord	ied on Rule 1.5.2	
Shill	ley Vuy	Yellov	e Copy - Facility File v Copy - Operator
Center Di	ractor/Desilo	mee/Individual Child Care Representative	



Page 2 of 2

Date Gelle 27,15

Facility Name Qack & Que License No. 1580
Drilding -no volationi observed
Kelehen "A"
Class land II worlding may result in a monotor
Class land I violations may result in a monetary Benally Repeated violations may result in the doubles of a monetary genally, suspension or revocation of the luince
For Renewal: 1) Staff Contact hour 2) One employeer dos - 60 days / Send to me. 3) Fire Form 4) 2 weeks type of menue
5) fee 7 Dend le 6) application online
Shilly White Copy - Facility File Center Director/Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Jak 9 Oll Preschoolicense No. 1530 Date 7-22-19
Yes No N/A 1.
Pass – License to be issued: Regular Probational Restricted

_ days

Child Care Representative

Follow-up within

Food Service Facility Inspection Results

PIMS ID	cility Name, Address	= i	Date
1530	00.690.00	Preschoul at	1580
CRITICAL VIO	0	CORRECTION PLAN AN	
		1/0 Uwlater Ofsowe	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date ☐ 30-19 Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Facility Signature	Licence Number

Child Care Licensure Playground Checklist

Cent	ter Na	ame _	ga	ch & Jill Preschool Inspection Date Que 22, 19
YES	NO	N/A	V	· ·
d			1,,,	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
Z			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
\square			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
d			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
Image: Control of the			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
Ø			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4. 3.5. pg 15)
d			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		I	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
Ø			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
Z			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
ď			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
ď			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
$\mathbf{Z}_{/}$			17	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Directo	or €	The	elli	2.5.5) Licensing Official and & Walter