

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Le Hope		-				Date 2/14/19					
Facility Name about hearning Center #/ License Number 4200 PSA - 1160											
Purpose Renewal	<i></i>				acity_	44			(
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out		N/A		Childr Evacu Menus Plan o	rer Items - Must be corrected as belongings separated/streation plans posted so posted and served of activities			Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager				,	Walls,	ling and Grounds, ceilings, floors, toys, equipt and in good repair	nent				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	444 000				Heatin Ventil Glass	ing approved ng/cooling approved ation adequate approved and shielded hone on premises, available,		THAMA			
Waste water system approved and functioning					and fu	unctioning					
Food service approved Possible Monetary Penalty					Large Sinks	ical outlets protected appliances located properly and toilets working properly vater at all sinks, not to		POR			
1.	Monetar \$				excee	d 120° ren barred from kitchen					
2	\$	- historica contra			nutriti	ng machine snacks meet ional guidelines, if present					
 4. 	\$ \$				single	doors and fastening devices action approved and in good ang order	i				
5	\$				Requi	unobstructed ired smoke detectors, carbon xide monitors, fire extinguisl	ners				
1. No Children Preser		valle	1			nermometers placed properly od working order	and	K			
2.	ng an				First a	aid kits stocked and easily ac	cessible	e 🛮			
3. 4.				5		round area clean, shaded, we ed and equipped and fence in			´ _		
5.		H	-1		Playg	round equipment meets stand	dards				W
6. 7.					Pool a	area clean, fenced, and adequained	ately				Ø
	(20	51	T	numb	er changing stations adequate her and each fully supplied her)	in	6	7)	21	
Center Director/Individual White Copy - Facility File Yellow Co	ppy - Facility	maria	ue	4	Chil	ld Care Representative		thy	de	5	
Mississippi State Department of Health		Operato		2_10 (10						

12-10-08



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

3	Cilia Care Encounter	. / . /
District O		Date 2/14/19
Name abl Learning Center	#1 aHerschool License No. 4200 PS	SA-1161)
Address 803 Hendenson Stree	Center/Organization/Individual	
Purpose Renewal	Director Beverly Martin	
Mileage Start	Mileage End	
County Le Hore	Telephone No. 663 455 996	20/0
Time In 2:57 Tim	me Out 3:40 Total Time_	
Findings/Comments This Visit	is for Renewal inspection to	r shild man l'image
	,	
Inere are no children	Currently enrolled at the	facility. The
07 Children.	Currently enrolled at the Child care license for any For	ture entrallment
or playground.	ioncies were observed with the	building, kitchen,
, 00		
a Customer Service Care	I was provided to the Owner	A
agency at 662.455.9429	oncerns please contact the ch	ud vare vensing
"Class I and Class II Vil	plations may result in a mo	netary Denatty.
Repeated violations may	result in the doubling of an	nonetary penalty.
Suspension or revocation of	of the lianse."	J Pragr
7		
enter Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Yes No N/A 1. Policies and procedures (Parent's Handbook) {Rule 1.4.1}
Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.6.4 (i) (f)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (i) (f)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Monthly records of fire/disaster drills {Rule 1.6.3 (8)} Monthly records of fire/disaster drills {Rule 1.6.3 (8)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in infant room {Rule 1.10.1 (3)} Required toys present in infant room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII) Comments/Recommendations
Pass — License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative

BenneMonte



Page 2 of

Cicali Cocarda Inter Colicati
1 1 2 1
Total Children Total Children Total Personal Children Total Children Total Personal Children Total Children Total Personal Children Total Personal Children Total
Total Children Total Personnel
Total Children Total Personnel
Total Children Total Personnel Total Personnel
Total Children's Records & Chi
Total Children's Records & Chi

Food Service Facility Inspection Results

PIMS ID F	acility Name, Address	earning Center # 1 attension Date
42CCPSA-1160	803 He	earning Center #1 attensional Date Inderson St Greenwood MJ 2/14/19
CRITICAL VI	OLATIONS	CORRECTION PLAN AND SCHEDULE
No Crificial	Violations	PASIS Kitchen received "A"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS
		Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name AR	Learning Center #1 afterschool Inspection Date 2/14/19
YES NO N/A	
□ □ 1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
□ □ □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) No Playground Guipment
Ø 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
☑ □ □ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
口口, 区 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
Д □ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
□ □ 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) No playground equipment
□ □ □ 11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5. 3. 6. 4-5 pgs 34-35)
□ □ □ 13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
0 0 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
✓ □ □ 15.	Is playground area clean & free of hazards? If not, state deficiency.
	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
□ □ □ 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
□ □ □ 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Director Blue	2.5.5) Licensing Official Licensing Official