



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County LeFloreDate 2/11/2020Facility Name Rainbow Kids Daycare LLCLicense Number 4200PFSA-1364Purpose Mid-yearCapacity 50

## All Items In Red Are Critical

Qualified director present  
 Proper staff to child ratio present  
 Room and playground capacity met  
 Center capacity met  
 License/complaint visible  
 Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained  
 Vector control maintained  
 Water system approved and functioning  
 Waste water system approved  
 and functioning  
 Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	infants / 4 / one caregiver
2.	two / 5 / one caregiver
3.	one / 6 / one caregiver
4.	
5.	
6.	
7.	

## Other Items - Must be corrected

Children's belongings separated/stored  
 Evacuation plans posted  
 Menus posted and served  
 Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment  
 clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved  
 Heating/cooling approved  
 Ventilation adequate  
 Glass approved and shielded  
 Telephone on premises, available,  
 and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected  
 Large appliances located properly  
 Sinks and toilets working properly  
 Hot water at all sinks, not to  
 exceed 120°  
 Children barred from kitchen  
 Vending machine snacks meet  
 nutritional guidelines, if present  
 Exits, doors and fastening devices  
 single action approved and in good  
 working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed  
 Required smoke detectors, carbon  
 monoxide monitors, fire extinguishers  
 and thermometers placed properly and  
 in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well  
 drained and equipped and fence in good  
 repair playground wet

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pool area clean, fenced, and adequately  
 maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in  
 number and each fully supplied  
 (number 2)

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Dorothy Stiehl

Child Care Representative

Shirley





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 3Date 2/11/2020

Name Rainbow Kids Daycare LLC License No. ~~2/11/2020~~ 42CC-PFSA-7364  
 Address 700 E. Martin Luther King Greenwood, MS 38930  
 Center/Organization/Individual  
 Purpose Mid-year Director Dionyse Stigler  
 Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
 County LeFlore Telephone No. 662-644-5084  
 Time In 10:07 Time Out 11:37 Total Time \_\_\_\_\_

Findings/Comments This visit is for mid-year inspection.

The licensing official did not observe any concerns with the building, kitchen or Records.

The playground will be checked at a later date due to standing water from the Rain.

Technical assistance provided on using the healthysms.com website for provider trainings.

Technical assistance also provided on staff to child ratio during nap time, by informing what ages can be half staffed and what ages can't have half staff at nap time.

A customer service was provided to Director.

If any questions or concerns please contact the child care licensing agency at 662-455-9429 or 601-364-2827.

"Class I and Class II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the license."

Dionyse Stigler  
 Center Director/Designee/Individual

Shirley Ois  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator



# Food Service Facility Inspection Results

PIMS ID <i>42CCPFA-7364</i>	Facility Name, Address <i>Rainbow Kids Daycare 700 E. Martin Luther King Greenwood, MS</i>	Date <i>2/11/20</i>
--------------------------------	---	------------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p><i>No critical violations</i></p> <p><i>on Food Program</i></p>	<p><i>PASS</i></p> <p><i>"A"</i></p>
--	--------------------------------------

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

*863*

*Wanda Lucas*  
Certified Manager

*Tommy Sate*  
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalist



# Child Care Licensure Playground Checklist

Center Name Rainbow Kids Daycare LLC

Inspection Date 2/11/2020

YES NO N/A

- ☐ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☐ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☐ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☐ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☐ ☒ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) Rain last two days.
- ☐ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☐ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☐ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☐ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☐ 11. If swings are present, are S-hooks in good repair? If not, state deficiency \_\_\_\_\_ (CPSC 3.2, pg13)
- ☐ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency \_\_\_\_\_ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☐ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate \_\_\_\_\_ (Rule 1.10.2, pg 36)
- ☐ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. \_\_\_\_\_ (Rule 1.11.11 (1), pg 49)
- ☐ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☐ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director

Dwight Styer

Licensing Official

Shirley B

\*Playground has standing water due to Rain \*