GALLOWAY CHILDREN'S CTR. 305 N CONGRESS ST Jackson, MS 39201 Lic. 25CERF-1207 P. 601-360-1792

Attn: SHARON PATTERSON



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection									
County		Date 08.20.2	20	-					
Facility Name		License Number							
Purpose VIPTUAL Rene	Wal Trans	104							
Purpose VII IVIAI TOIL	MUI HISPEGI	Capacity IV							
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In/Out COS N//	Other Items - Must be corrected Children's belongings separated/store Evacuation plans posted Menus posted and served Plan of activities		Out	cos	N/A			
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	' \						
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	KREK						
Waste water system approved and functioning		and functioning		, 🗆					
Food service approved Possible Monetary Penalty	W	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to							
1	Monetary Penalty \$	exceed 120° Children barred from kitchen	ZI Z						
2	\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices				b			
4	s	single action approved and in good working order							
5	S	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	ď						
Infant. 3 ^{Age/Child/Staff N}	Name	and thermometers placed properly and in good working order							
2. 3 1 - CG 3. 2 1 - CG		First aid kits stocked and easily access Playground area clean, shaded, well	_						
4 older 314. 1-CG	-,	drained and equipped and fence in good repair See 1149104114	od 🗹	, —					
5. 4.yr. 7. 1-CG		Playground equipment meets standard See 1499704nd Chec Klist Pool area clean, fenced, and adequated	s 🔽						
7.		maintained Diaper changing stations adequate in				A			
Conta Discotor/Individual		number and each fully supplied (number)	+		_ <				
Center Director/Individual		Child Care Representative Z	150	LA.	ı c	- el			
White Copy - Facility File Yellow Con Mississippi State Department of Health	py - Facility Operator	12-10-08	•	For	m No.	281			

5	Child	Care Encou	unter	
District	GALLOWAY CHILDRE			Date 08.20.20
	305 N CONGRESS ST		Selection of the select	
Name	Jackson, MS 39201		ie No	
	Lic. 25CERF-1207 P. 6	01-360-1792		The state of the Control of the State of the
Address	Attn: SHARON PATTE	RSON		
Purpose VITUA	Renewal Inspect	Director	-d1	
Mileage Start		Mileage End		
County MINAS		Telephone No		
Time In 8:30 a	m./9:260 m. out 9:1	00am./93	32 annarima	
1	TOON WINTER VO	MUNICIPAL		- 10 1401-14111
Findings/Comments	Hor Sharon	Patters	VECTION TH	e LO Met With
The ourops	e of the VISITI	5 TO CONA	uct a virtu	al VONONIAI
MERCHON	and provide 1	echnical	assistar	ce.
Micha tha	tour that a	1000 101	b/- 0	1-1
During The	TOUT THE LOO	Userved t	ne tollou	ving:
All Clas	SYDOMS -	See. 000	0.#70	1/299
Plavaround	- See Pla	Varound	Check	<+ -
Kitchen	- Sel #	328/3	301	-51
rale un	china dal no			
FOR YOUR'S	renewal proce	155-P	ease see	# 289
MICC October	con thank law a	10'0 C 1	a' My ba	
MIS. PUTTERS	sun inanik yun a	guiltor b	eina IIII TOL	ir quide, and also
For serving	the Children ar	d tumile	s ith Miss	sissippi.
Place Pont	nue to be safe	2 400 4	1011 11	- SIFF (
TICIN LVIII	THE TO BE SHIT	, 011101 00	1111	
HOIDAI HO	4. DO460 CUL	M'L HALLE C	ha Coma ha	0 . 0 11 0
TICIVANI MIL	TS. TIENSE SUISI	nit your fi		fore 9.11.20
MILLYDY STAT	ed she has leg	guested -	for new 2	oning letter
on 8.4.20.	Pluse send L	o. a copy	once re	ceived.
	F	Reminders:		
Class I II violations may r	esult in a	Helpful Hints:		
monetary penalty.	F	Renewal Process see	form:	
Repeated violations may	result in the	‡289		
doubling of a monetary	penaity,	-		
suspension or revocation	n of license.			
	A	elda Ele	25	White Copy - Facility File Yellow Copy - Operator
Center Director/Designa	ee/Individual Child	are Representative		Yellow Copy - Operator

Revised 6-24-09

Mississippi State Department of Health

Form No. 287

Date 08.20.20

GALLOWAY CHILDREN'S CTR. 305 N CONGRESS ST Jackson, MS 39201 Lic. 25CERF-1207 P. 601-360-1792 http://dx.sharon.patterson

Facility Name



Child Care Program Review

License No.

Ves No N/A 1.
18.
Comments/Recommendations Go online to www.healthyms.com to complete your online application and pay fees and print your license on or before Aug. 31, 2020 a avoid late fees and reinstatement fees. Go online to www.healthyms.com to complete your online application and pay fees and print your license on or before Aug. 31, 2020 a avoid late fees and reinstatement fees.
□ Pass − License to be issued: □ Regular □ Probational □ Restricted □ Fail □ Follow-up within days □ Director □ Designee Child Quer Representative

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator Revised 12-19-13

Form 289

Food Service Facility Inspection Results

GALLOWAY CHILDREN'S CTR. PIMS ID Facility 1305 N CONGRESS ST Jackson, MS 39201 Lic. 25CERF-1207 P. 601-360-1792 CRITICAL VIOLATIONS: SHARON PATTERSON CURRECTION PLAN AND SCHEDULE No critical Violations Observed on todays Visit 92010 Permit No Charge ☐ 92020 Scheduled 92030 Followup ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 92040 Complaint ☐ 92050 Consultation ☐ 92012 Permit 3 \$150.00 □ 92070 Plan Review/Const. ☐ 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature 92090 Restaurant Training nvironmentalist Signature Permit Date Environmentalist Code White Opy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

Mississippi State Department of Health

Form 301 Revised 2/15/08

Playground Checklist						
GALLOWAY CHILDREN'S CTR. 305 N CONGRESS ST Inspection Date 08:20:20						
Center Name						
Playground fence less than 3 ½" From Surface. (American Surface)						
no gaps? (Rule 1.11.9 (8), pg 60) 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)						
2. 2 entrances/exits, with one being remote host						
☑ □ 3. Is surfacing adequate? If not, where is a surfacing adequate?						
AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)						
AC units, high-voltage cabling/wires maccession. AC units, high-voltage cabling/wires maccession. No standing water present on playground or in/on playground equipment or walkways?						
☐ ☐ 5. No standing water present on player and the standard of the standard o						
- c						
/ mooth walking surface? (no trip hazards) (Crise 3.6178						
☐ ☐ 7. Sidewalks provide smooth war of threads beyond the nut? Are all bolts and fencing All bolts on equipment & fence < threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? Is fence free of brush/overgrowth? (CPSC)						
twists/wires facing away from the playground area; [nate 1 1 1 1 1 1 1 1 1 1						
Tree limbs at least /IL above plan 1 24.35 pg 16)						
Tree limbs at least 715 and 3.4, 3.5, pg 16) 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)						
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐						
☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)						
10 (15TM 0 5 1 2 & CPSC 5.3.7. pg 30-3/)						
Are spring rockers a minimum of 6 ft. apart? (ASTM 9.3.1.2 are inappropriate quipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 4						
□ □ 14. Is age-appropriate equipment of (Rate 110.3-) Rate 110.3-) & CPSC 2.2.6, pg 0						
☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 6 (Rule 1.11.11 (1), pg 6) (Rule 1.11.11 (1), pg 6)						
☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)						
CPSC 3.0, pg 10-17						
□ □ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC □ □ 18. Is wood smooth? Documentation provided that wood has been properly treated.						
Licensing Official 18. Is wood smooth? Documentation provided Licensing Official Licensing Official						
Director						