

### MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

County Washington	Date 07/21/201	7		
Facility Name Kangaroo Day Care	License Number 744	PFA-	-02-	18
Purpose Renewal Inspection T.A. Cap				
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present  Room and playground capacity met	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Food service approved	and functioning  Electrical outlets protected			
Possible Monetary Penalty  Monetary Penalty	Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to			
1 \$	exceed 120° Children barred from kitchen Vending machine snacks meet			
3\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4	working order  Exits unobstructed			
1.   Age/Child/Staff Name   Yr Zyr.   2   Bobbie Williams	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order			
2. 4yr, -9yr. 5 Mrs. G. Mosby	First aid kits stocked and easily accessible			
3. 4. ——————————————————————————————————	Playground area clean, shaded, well drained and equipped and fence in good repair			
5.	Playground equipment meets standards			
7.	Pool area clean, fenced, and adequately maintained			
Center Director/Individual Ballie William	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative	1 Desu	Liga	. 🗆

12-10-08

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

Form No. 281



### **Child Care Encounter**

Child Care Encounter
District <u>TIT</u> Date <u>07/21/2017</u>
Name Kancarco Day Care License No. 76C4PFA-0278
Address 1033 South Delesseps Street Greenville, MS 3870)
Purpose Renewal Inspection/T.A. Director Bobbie Williams
Mileage Start Mileage End
County Washington Telephone No. 662-332-5106
Time In 9:50 q.m. Time Out 10:48 a.m. Total Time
Findings/Comments The liensing official met with Bobbie Williams.
The purpose for this Visit was for a renewal inspertion and
to provide Otechnical assistand.
Subchapter 5: Personnel Requirements
Defivery: Rule 1.5.80 states in part, "all child care directors, design
Calegivels, shall be required to complete (15) contact fours of stof
development, accessed during the liversure year, annually.
Jinding: The bensing official observed dat all have ( stoff) there (15) contact hours of delelopment.
P.O.C. Per Mrs. Bobble Williams all stoff will have the rest of their
contact hour Wefore the licensus peived expires 09/30/2017. T. A. (Jectorial assistance) was provided on Pule 1.5.8(2) Steff
bevelopment
and child care survey and was I. Dt with Bothis William
g and person of the people of
Class I and II violations may result in a monetary penalty.
Repeated Violations may so alt in dobbig of a moretary penety,
Dispersion, or revocation of the lune.
Jeresa Riggis, Child Care
office # 0 662-332-8177
D 11 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sollie White Copy - Facility File Yellow Copy - Operator



#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

### **Child Care Program Review**

Facility Name Kangaroo Day Care License No. 0278 Date 07/21/2017

1.	<b>b</b> 0		Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2.			Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
	1		insurance is in effect {Rule 1.4.1 (i) & (j)}		
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}		
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5.			Attendance records for children and staff {Rule 1.6.3 (1)}		
6.	0		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}		
7.			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}		
8.	<b>a</b> '		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
9.		4	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}		
			Immunization Records for Children and Staff {Rule 1.6.3 (8)}		
			Personnel records (attach employee's records form) {Rule 1.6.4}		
12.			Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
13.			Children records (attach children's records form) {Rule 1.6.7}		
14.		9	Reports of serious occurences made as required {Rule 1.7.1}		
15.		4	Communicable diseases reported as required {Rule 1.7.3}		
16.			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}		
18.			Age appropriate program of activities posted in each room {Subchapter 9}		
19.			Required toys present in infant room {Rule 1.10.1 (2)}		
20.			Required toys present in toddler room {Rule 1.10.1 (3)}		
21.			Required toys present preschool room {Rule 1.10.1 (4)}		
22.			Licensed pest control contractor {Rule 1.11.14}		
23.		4	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}		
24.			Appropriate discipline policy followed {Subchapter 14}		
25.			Appropriate transportation policy followed {Subchapter 15}		
26.			Infant feeding schedules posted (Appendix C, VII)		
Co	mments	Rec	ommendations		
_					
	/				
	Pass –				
		to be	issued: Regular Probational Restricted		
	Fail		hin days Brether Williams Tresuxionerin		
	Follow-u	p wit			
			Director Designee Child Care Representative		

Yes No N/A

## **Food Service Facility Inspection Results**

PIMS ID	Facility Name, Address Kanga	100 Day Care	Date
( ) ( )	1023 S. Delessens S		07/21/2017
CRITICAL V	1	CORRECTION PLAN A	ND SCHEDULE
- Observed n	e violations	4	D 14"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to	92010 Permit No Charge   92015 Permit 1 \$30.00   92011 Permit 2 \$100.00   92012 Permit 3 \$150.00   92013 Permit 4 \$200.00      Environmentalist Code   TL 3	Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Serv Safe Licence Number! 165786 Exp. 10/23/2019

# **Child Care Licensure Playground Checklist**

			W 27	
Cen	ter N	ame	Ka	ngaroo Day Care Inspection Date 07/21/2017
VES	NO	N/A		
			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
U			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)  No equipment present
IZ			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
b			9.	Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		T/	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)
П			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate
	П	П	15.	Is playground area clean & free of hazards? If not, state deficiency.
			15.	(Rule 1.11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) Shading is needed on playground area before children while play area. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.55)
)irect	tor			Bablic Williams Official Teres & Lecrois